

Author Index of Volume A 58

- Akbar, S.A., 237
 Albin, M., 61
 Aluru, N.R., 1
- Bădescu, R., 89
 Bădescu, V., 89
 Ballandras, S., 265
 Bao, M., 197
 Barker, A., 229
 Bastrou, S., 265
 Bernède, P., 265
 Besse, P.-A., 141
 Blind, P., 265
 Bluhm, R., 179
 Borkholder, D.A., 27
 Bower, J.M., 27
 Bright, V.M., 19
 Brody, J.P., 13
 Braun, E., 109
- Chen, H., 197
 Chen, W., 237
 Clegg, W.W., 173
 Comtois, J.H., 19
 Crowther, S., 229
 Cunningham, M.J., 173
- Daniau, W., 265
 Darling, R.B., 51
 Debey, D., 179
 De Jong, G.W., 75
 Dobrucki, A.B., 203
- Engström, O., 99
- Fakkeldij, E.J.M., 149
 Fisher, N.E., 225
 French, P.J., 149
- Georgiev, V., 185
 Gerhard, E., 259
 Glander, S.F., 51
 Goldberg, Yu.A., 121
 Gratian, K.T.V., 191
 Gridchin, A.V., 219
 Gridchin, V.A., 219
- Habels, N., 179
 Hashimoto, K., 165
 Hills, M.D., 27
 Hing, P.A., 61
- Jackson, D.A., 225
 Jenkins, D.F.L., 173
- Kakanakov, R., 93
 Kassanakov, I., 93
 Kewley, D.T., 27
 Klaassen, E.H., 37, 43
 Konstantinov, O.V., 121
 Kovacs, G.T.A., 27, 37, 43, 51, 61
 Kurz, H., 179
- Lai, J., 113
 Lai, P.T., 85
 Lakhtakia, A., 67
 Lei, T.-F., 125
 Li, B., 85
 Li, C., 245
 Liu, B., 85
 Liu, M., 245
 Luca, E., 89
 Luukkala, M., 93
- Majumdar, A., 113
 Malleé, R., 149
- Maluf, N.I., 27, 61
 Matsueda, S., 165
 Megtert, S., 265
 Meijer, G.C.M., 75
 Meng, Q., 249
 Mornaka, K., 165
 Morten, B., 159
- Nagy, A., 137
 Ning, F., 109
 Ning, Y.N., 191
- Opris, I.E., 27
- Palmer, A.W., 191
 Passeraub, P.A., 141
 Perazzo, T., 113
 Piccini, S., 159
 Podoleanu, A.Gh., 225
 Popovic, R.S., 141
 Posse, E.A., 121
 Pruchnicki, P., 203
 Prudenziati, M., 159
- Qi, W., 191
- Raad, C.d., 141
 Raatikainen, P., 93
 Reay, R.J., 43
 Rees, D., 229
 Reicher, R., 213
 Ren, H., 259
 Rezlescu, N., 89
 Robert, L., 265
 Rouillay, M., 265
- Sarro, P.M., 149
 Schorr, J.R., 237
- Shen, S., 197
 Shi, Z., 113
 Smetana, W., 213
 Spassov, L., 185
 Storment, C., 43
 Storment, C.W., 27, 51
 Sub, J.W., 51
 Sun, B., 249
 Sun, X., 249
 Sun, Y., 249
- Tanborin, M., 159
 Thompson Jr., W., 67
 Trujillo, H., 137
 Tsarenkov, B.V., 121
- Van Oudheusden, B.W., 129
 Vergov, L., 185
 Vidovic, N., 99
- Wang, C.C., 237
 White, J., 1
 Wolfenbuttel, R.F., 149
 Wu, Z., 85
- Xiao, Z., 99
- Yager, P., 13
 Yang, H.-M., 125
 Yee, G.M., 61
 Yoshitake, N., 165
 Yoshimoto, M., 165
 Yossifov, E., 185
 Yu, D., 245
- Zeng, Y., 245
 Zhang, S., 85
 Zheng, X., 85

Subject Index of Volume A 58

- Acoustic**
on magnetization relaxation in ferrofluids and acousto-electromagnetic conversion, 89
- Actuator arrays**
applications for surface-micromachined polysilicon thermal actuators and arrays, 19
- Algorithm**
development of people-counting system with human-information sensor using multi-element pyroelectric infrared array detector, 165
- Analog feedback**
effect of operating conditions on the dynamic response of thermal sensors with and without analog feedback, 129
- Bi-material microcantilevers**
optimization and performance of high-resolution micro-optomechanical thermal sensors, 113
- Biochemical analysis**
miniature spectrometers for biochemical analysis, 61
- Bistable magnetic microactuators**
design and fabrication of a current-pulse-excited bistable magnetic microactuator, 259
- Calcium zirconate**
high-temperature thermistors based on yttria and calcium zirconate, 237
- Capacitive sensors**
an efficient retrieving algorithm for accurate capacitive position sensors, 75
- Characterization**
microgrippers fabricated by the LIGA technique, 265
- Ciliary microactuator arrays**
organic thermal and electrostatic ciliary microactuator array for object manipulation, 51
- Compensation of offset thermal drift**
electric drift of the bridge offset for pressure sensors and its utilization, 249
- Conversion**
on magnetization relaxation in ferrofluids and acousto-electromagnetic conversion, 89
- Current pulse exciting**
design and fabrication of a current-pulse-excited bistable magnetic microactuator, 259
- D.c. circuit models**
the d.c. circuit model of a MOS magnetic sensor, 125
- Design optimization**
optimization and performance of high-resolution micro-optomechanical thermal sensors, 113
- Diaphragms**
diaphragm deflection of silicon interferometer structures used as pressure sensors, 99
- Differential relaxation oscillator**
a differential relaxation oscillator as a versatile electronic interface for sensors, 141
- Diffusion-based extraction**
diffusion-based extraction in a microfabricated device, 13
- Dynamic response**
effect of operating conditions on the dynamic response of thermal sensors with and without analog feedback, 129
- Electric drift**
electric drift of the bridge offset for pressure sensors and its utilization, 249
- Electric non-linearity**
electric drift of the bridge offset for pressure sensors and its utilization, 249
- Electromagnetic**
on magnetization relaxation in ferrofluids and acousto-electromagnetic conversion, 89
- Electromechanical devices**
room-temperature r.f. magnetron sputtered ZnO for electromechanical devices, 229
- Electromechanical simulations**
an efficient numerical technique for electromechanical simulation of complicated microelectromechanical structures, 1
- Electroplating**
design and fabrication of a current-pulse-excited bistable magnetic microactuator, 259
- Electrostatic actuation**
organic thermal and electrostatic ciliary microactuator array for object manipulation, 51
- Faraday current sensors**
a single fibre-optic down-lead Faraday current sensor, 225
- Ferroelectric thin films**
preparation and properties of yttrium-modified lead zirconate titanate ferroelectric thin films, 245
- Fibre optics**
fibre-optic liquid-level sensor, 93
a single fibre-optic down-lead Faraday current sensor, 225
- Finite-element analysis**
microgrippers fabricated by the LIGA technique, 265
- Finite-element method**
theory of piezoelectric axisymmetric bimorph, 203
designing the performance of a thick-film laser power detector by means of a heat-transfer analysis using finite-element method, 213
- Flow sensors**
monolithic integrated spreading-resistance silicon flow sensor, 85
- Four-terminal piezotransducers**
the four-terminal piezotransducer: theory and comparison with piezoresistive bridge, 219

- Gallium arsenide
 - temperature dependence of the short-wave quantum efficiency of GaAs and GaP surface-barrier photosensors, 121
- Gallium phosphide
 - temperature dependence of the short-wave quantum efficiency of GaAs and GaP surface-barrier photosensors, 121
- Heat-transfer analysis
 - designing the performance of a thick-film laser power detector by means of a heat-transfer analysis using finite-element method, 213
- Helicoidal bianisotropic media
 - shear axial modes in a PCTSCM. Part III: sensing shear waves, 67
- High-temperature thermistors
 - high-temperature thermistors based on yttria and calcium zirconate, 237
- Impedance measurement
 - a differential relaxation oscillator as a versatile electronic interface for sensors, 141
- Integrated sensors
 - integrated thermal-conductivity vacuum sensor, 37
- Interface for sensors
 - a differential relaxation oscillator as a versatile electronic interface for sensors, 141
- Interferometers
 - diaphragm deflection of silicon interferometer structures used as pressure sensors, 99
- Laser power detector
 - designing the performance of a thick-film laser power detector by means of a heat-transfer analysis using finite-element method, 213
- Lateral magnetotransistors
 - 3D magnetic-field sensor using only a pair of terminals, 137
- Lead zirconate titanate (PZT)
 - preparation and properties of yttrium-modified lead zirconate titanate ferroelectric thin films, 245
- LIGA
 - microgrippers fabricated by the LIGA technique, 265
- Liquid-level sensors
 - fiber-optic liquid-level sensor, 93
- MAGFETs
 - an offset-trimmable array of magnetic-field-sensitive MOS transistors (MAGFETs), 109
- Magnetic-field sensors
 - an offset-trimmable array of magnetic-field-sensitive MOS transistors (MAGFETs), 109
- 3D magnetic-field sensor using only a pair of terminals, 137
- Magnetic fluid
 - on magnetization relaxation in ferrofluids and acousto-electromagnetic conversion, 89
- Magnetic sensors
 - the d.c. circuit model of a MOS magnetic sensor, 125
- Mechanical properties
 - microgrippers fabricated by the LIGA technique, 265
- Microaccelerometers
 - over-range capacity of a piezoresistive microaccelerometer, 197
- Microelectromechanical systems
 - an efficient numerical technique for electromechanical simulation of complicated microelectromechanical structures, 1
- Micro-fluid systems
 - diffusion-based extraction in a microfabricated device, 13
- Microgrippers
 - microgrippers fabricated by the LIGA technique, 265
- Micromachining
 - applications for surface-micromachined polysilicon thermal actuators and arrays, 19
- micromachined thermally isolated circuits, 43
- miniature spectrometers for biochemical analysis, 61
- Micromachining technology
 - design and fabrication of a current-pulse-excited bistable magnetic microactuator, 259
- Micromechanical actuators
 - the preparation of piezoceramic-polymer thick films and their application as micromechanical actuators, 173
- Micromotors
 - applications for surface-micromachined polysilicon thermal actuators and arrays, 19
- Micro-optics
 - applications for surface-micromachined polysilicon thermal actuators and arrays, 19
- Miniature spectrometers
 - miniature spectrometers for biochemical analysis, 61
- Miniaturization
 - fabrication of planar thermocouples for real-time measurements of temperature profiles in polymer melts, 179
- Monolithic integration
 - monolithic integrated spreading-resistance silicon flow sensor, 85
- MOS
 - the d.c. circuit model of a MOS magnetic sensor, 125
- Moving directions
 - development of people-counting system with human-information sensor using multi-element pyroelectric infrared array detector, 165
- Multi-element array detectors
 - development of people-counting system with human-information sensor using multi-element pyroelectric infrared array detector, 165
- Multimode optical fibres
 - a multimode optical-fibre sensing system using white-light interferometry and a two-wavelength synthetic source, 191
- Neural probes
 - plasma-etched neural probes, 27
- Neurobiology
 - plasma-etched neural probes, 27
- Number of passing persons
 - development of people-counting system with human-information sensor using multi-element pyroelectric infrared array detector, 165
- Numerical techniques
 - an efficient numerical technique for electromechanical simulation of complicated microelectromechanical structures, 1
- Object manipulation
 - organic thermal and electrostatic ciliary microactuator array for object manipulation, 51
- Offset compensation
 - an offset-trimmable array of magnetic-field-sensitive MOS transistors (MAGFETs), 109
- Optical fibers
 - diaphragm deflection of silicon interferometer structures used as pressure sensors, 99
- Over-range capacity
 - over-range capacity of a piezoresistive microaccelerometer, 197
- People-counting systems
 - development of people-counting system with human-information sensor using multi-element pyroelectric infrared array detector, 165
- Piezoceramics
 - the preparation of piezoceramic-polymer thick films and their application as micromechanical actuators, 173
- Piezoelectric bimorphs
 - theory of piezoelectric axisymmetric bimorph, 203
- Piezoelectric stiffening
 - shear axial modes in a PCTSCM. Part III: sensing shear waves, 67

- Piezoelectric thin films
 - room-temperature r.f. magnetron sputtered ZnO for electromechanical devices, 229
- Piezoresistance
 - over-range capacity of a piezoresistive microaccelerometer, 197
- Piezoresistive bridges
 - the four-terminal piezotransducer: theory and comparison with piezoresistive bridge, 219
- Piezoresistive properties
 - piezoresistive properties of RuO_2 -based thick-film resistors: the effect of RuO_2 grain size, 159
- Planar thermocouples
 - fabrication of planar thermocouples for real-time measurements of temperature profiles in polymer melts, 179
- Plasma etching
 - plasma-etched neural probes, 27
- Polymers
 - the preparation of piezoceramic-polymer thick films and their application as micromechanical actuators, 173
- Position sensors
 - an efficient retrieving algorithm for accurate capacitive position sensors, 75
- Pressure sensors
 - diaphragm deflection of silicon interferometer structures used as pressure sensors, 99
 - electric drift of the bridge offset for pressure sensors and its utilization, 249
- Pyroelectric infrared sensors
 - development of people-counting system with human-information sensor using multi-element pyroelectric infrared array detector, 165
- Quantum efficiency
 - temperature dependence of the short-wave quantum efficiency of GaAs and GaP surface-barrier photosensors, 121
- Quartz resonators
 - a rotated Y-cut quartz resonator with a linear temperature-frequency characteristic, 185
- Response time
 - fabrication of planar thermocouples for real-time measurements of temperature profiles in polymer melts, 179
- Retrieving algorithm
 - an efficient retrieving algorithm for accurate capacitive position sensors, 75
- R.f. magnetron sputtering
 - room-temperature r.f. magnetron sputtered ZnO for electromechanical devices, 229
- Ruthenium dioxide
 - piezoresistive properties of RuO_2 -based thick-film resistors: the effect of RuO_2 grain size, 159
- Self-assembly
 - applications for surface-micromachined polysilicon thermal actuators and arrays, 19
- Shell of revolution
 - theory of piezoelectric axisymmetric bimorph, 203
- Silicon
 - monolithic integrated spreading-resistance silicon flow sensor, 85
 - diaphragm deflection of silicon interferometer structures used as pressure sensors, 99
- Silicon nitride
 - optimization of a low-stress silicon nitride process for surface-micromachining applications, 149
- Sol-gel technique
 - preparation and properties of yttrium-modified lead zirconate titanate ferroelectric thin films, 245
- Spatial resolution
 - fabrication of planar thermocouples for real-time measurements of temperature profiles in polymer melts, 179
- Spreading-resistance
 - monolithic integrated spreading-resistance silicon flow sensor, 85
- Structurally chiral media
 - shear axial modes in a PCTSCM. Part III: sensing shear waves, 67
- Surface-barrier photosensors
 - temperature dependence of the short-wave quantum efficiency of GaAs and GaP surface-barrier photosensors, 121
- Surface micromachining
 - optimization of a low-stress silicon nitride process for surface-micromachining applications, 149
- Temperature-sensing elements
 - monolithic integrated spreading-resistance silicon flow sensor, 85
- Temperature sensors
 - a rotated Y-cut quartz resonator with a linear temperature-frequency characteristic, 185
- Thermal actuation
 - organic thermal and electrostatic ciliary microactuator array for object manipulation, 51
- Thermal actuators
 - applications for surface-micromachined polysilicon thermal actuators and arrays, 19
- Thermal-conductivity vacuum sensors
 - integrated thermal-conductivity vacuum sensor, 37
- Thermal isolation
 - micromachined thermally isolated circuits, 43
- Thermal sensors
 - optimization and performance of high-resolution micro-optomechanical thermal sensors, 113
 - effect of operating conditions on the dynamic response of thermal sensors with and without analog feedback, 129
- Thick-film resistors
 - piezoresistive properties of RuO_2 -based thick-film resistors: the effect of RuO_2 grain size, 159
- Thick films
 - the preparation of piezoceramic-polymer thick films and their application as micromechanical actuators, 173
 - designing the performance of a thick-film laser power detector by means of a heat-transfer analysis using finite-element method, 213
- UV lithography for resist micromoulding
 - design and fabrication of a current-pulse-excited bistable magnetic microactuator, 259
- Versatile interface
 - a differential relaxation oscillator as a versatile electronic interface for sensors, 141
- White-light interferometry
 - a multimode optical-fibre sensing system using white-light interferometry and a two-wavelength synthetic source, 191
- Yttria
 - high-temperature thermistors based on yttria and calcium zirconate, 237
- Yttrium-modified lead zirconate titanate (PYZT)
 - preparation and properties of yttrium-modified lead zirconate titanate ferroelectric thin films, 245
- Zinc oxide
 - room-temperature r.f. magnetron sputtered ZnO for electromechanical devices, 229



